


CERTIFICATE OF ANALYSIS

Cannabinoids

Client Sample ID: O-APL-1
Sample Description: THC-O
Receive sample: 16-Nov-21
Initiate analyses: 17-Nov-21

| | | |
|------------------------------------|---|---------------------------------------|
| Analyst: Sarah Ashbacher | Analyst Signature: <i>Sarah Ashbacher</i> | Analyst Date: Nov 19, 2021 |
| Reviewed by: Dave Minser | Reviewer Signature: <i>Dave Minser</i> | Reviewer Date: Nov 19, 2021 |

Test Type: Total Cannabinoid Profile **Technical Procedure:** A0033, A0049, A0091



| Cannabinoid | MoU (+/-) | % Weight | Concentration (mg/g) |
|-----------------------------|-----------|-----------------|----------------------|
| CBN | NA | <0.01 | <0.10 |
| Δ9 THC | 0.0018 | 0.04 | 0.41 |
| CBDV | NA | <0.01 | <0.10 |
| CBG | NA | <0.01 | <0.10 |
| CBD | 0.0018 | 0.04 | 0.44 |
| CBC | NA | <0.01 | <0.10 |
| CBDA | NA | <0.01 | <0.10 |
| CBGA | NA | <0.01 | <0.10 |
| THCA | 0.0012 | 0.03 | 0.26 |
| THCV | NA | <0.01 | <0.10 |
| Δ8 THC | 0.199 | 2.85 | 28.49 |
| CBDQ | 0.0008 | 0.01 | 0.11 |
| Δ8 THC-OAc | 3.43 | 85.63 | 856.31 |
| Δ9 THC-OAc | 0.079 | 1.97 | 19.69 |
| * total THC | | 0.06 | 0.64 |
| * total CBD | | 0.04 | 0.44 |
| * total CBG | | <0.01 | <0.10 |
| total | | 90.57 | 905.71 |
| ratio: Total CBD/THC | | | 0.688 |



* total THC is calculated by Δ9 THC + 0.877xTHCA *total CBD is calculated by CBD + 0.877xCBDA

*total CBG is calculated by CBG + 0.878xCBGA

<0.01 % weight means that any amount of the analyte is below 0.01; which is the lowest amount of the analyte in the sample that can be quantitatively determined with suitable precision and accuracy by this method

Avazyme, Inc is ISO/IEC 17025:2017 accredited by PJLA (accreditation # 101161) for Microbiological and Chemical Testing

MoU "measurement of uncertainty"

Concentration of cannabinoids were determined by Shimadzu UHPLC/MS/MS and HPLC/UV LC2030 Plus with an Avazyme intra lab validated method utilizing certified reference standards for each chemical analyzed.

The result applies only to the sample listed on this certificate. Avazyme cannot guarantee that this sample is representative of the product/lot as a whole. Avazyme warrants that this study was performed in accordance with appropriate laboratory research practices and protocols for the sample submitted.

Avazyme is not responsible for Sponsor's use of the information or concepts generated as part of the study, and will not be liable for any loss or damage resulting from such use.



PJLA
Testing
ISO/IEC 17025:2017
Accreditation # 101161