



KOI Tropical Gummies

Sample ID: 1902CSALA0704.2615
Strain: KOI Tropical Gummies
Matrix: Ingestible
Type: Soft Chew
Sample Size: 1 units; Batch: 0 units

Produced: N/A
Collected: 11/04/2022
Received: 11/04/2022
Completed: 11/26/2022
Batch#: 9032TRG200

Client
Koi CBD
Lic. #
14631 Best Ave
Norwalk, CA 90650



Summary

Pass

9.52 mg/unit	Pass	Pass
Total Cannabinoids	Pesticides	Residual Solvents
Pass	Pass	Pass
Microbials	Mycotoxins	Heavy Metals

Cannabinoids

Testing method: HPLC-SOP 101

Complete

Analyte	LOD	LOQ	Mass	Mass
	mg/unit	mg/unit	mg/unit	mg/g
THCa	0.00090	0.0040	ND	ND
Δ9-THC	0.00169	0.0040	ND	ND
Δ8-THC	0.00168	0.0040	ND	ND
THCV	0.00157	0.0040	ND	ND
CBDa	0.00081	0.0040	ND	ND
CBD	0.00149	0.0040	9.40	2.35
CBDV	0.00040	0.0040	0.12	0.03
CBN	0.00065	0.0040	ND	ND
CBGa	0.00078	0.0040	ND	ND
CBG	0.00149	0.0040	ND	ND
CBC	0.00057	0.0040	ND	ND
Total			9.52	2.38

ND
Total THC

9.40 mg/unit
Total CBD

1 Unit = 1 Bag, 4g; 20 servings per container; 0.0 mg/unit THC per container

Terpenes

Testing method: HSGCMS-SOP 201

Complete

Analyte	LOD	LOQ	Mass	Mass
	%	%	%	mg/g
α-Bisabolol	0.00015	0.0013	ND	ND
α-Humulene	0.00057	0.0013	ND	ND
α-Pinene	0.00015	0.0013	ND	ND
α-Terpinene	0.00012	0.0013	ND	ND
β-Caryophyllene	0.00017	0.0013	ND	ND
β-Myrcene	0.00012	0.0013	ND	ND
β-Pinene	0.00034	0.0013	ND	ND
Camphene	0.00072	0.0013	ND	ND
Caryophyllene Oxide	0.00017	0.0013	ND	ND
cis-Nerolidol	0.00009	0.0013	ND	ND
δ-3-Carene	0.00040	0.0013	ND	ND
δ-Limonene	0.00016	0.0013	ND	ND
Eucalyptol	0.00017	0.0013	ND	ND
γ-Terpinene	0.00012	0.0013	ND	ND
Geraniol	0.00013	0.0013	ND	ND
Guaiol	0.00018	0.0013	ND	ND
Isopulegol	0.00011	0.0013	ND	ND
Linalool	0.00015	0.0013	ND	ND
Ocimene	0.00013	0.0013	ND	ND
p-Cymene	0.00010	0.0013	ND	ND
Terpinolene	0.00016	0.0013	ND	ND
trans-Nerolidol	0.00058	0.0013	ND	ND
Total			0.00	0.00

Date Tested: 02/06/2019

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NR = Not Reported; NT = Not Tested;
ND = Not Detected. The reported result is based on a sample weight with the applicable
moisture content for that sample;



ISO / IEC 17025:2017 ACCREDITED LABORATORY
Accreditation No. 73653

Mallory Speakman
Laboratory Director - LA
11/26/2022

Anya Engen
Quality Manager
11/26/2022





KOI Tropical Gummies

Sample ID: 1902CSALA0704.2615

Strain: KOI Tropical Gummies

Matrix: Ingestible

Type: Soft Chew

Sample Size: 1 units; Batch: 0 units

Produced: N/A

Collected: 11/04/2022

Received: 11/04/2022

Completed: 11/26/2022

Batch#: 9032TRG200

Client

Koi CBD

Lic. #

14631 Best Ave

Norwalk, CA 90650

Pesticides

Test Method: LCMS & GCMS-SOP 301

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0180	0.0590	0.3000	ND	Pass	Fludioxonil	0.0070	0.0240	30.0000	ND	Pass
Acephate	0.0090	0.0290	5.0000	ND	Pass	Hexythiazox	0.0070	0.0240	2.0000	ND	Pass
Acequinocyl	0.0050	0.0180	4.0000	ND	Pass	Imazalil	0.0040	0.0120	0.0040	ND	Pass
Acetamiprid	0.0040	0.0130	5.0000	ND	Pass	Imidacloprid	0.0390	0.1290	3.0000	ND	Pass
Aldicarb	0.0040	0.0130	0.0040	ND	Pass	Kresoxim Methyl	0.0050	0.0170	1.0000	ND	Pass
Azoxystrobin	0.0060	0.0190	40.0000	ND	Pass	Malathion	0.0100	0.0320	5.0000	ND	Pass
Bifenazate	0.0040	0.0140	5.0000	ND	Pass	Metalaxyl	0.0030	0.0100	15.0000	ND	Pass
Bifenthrin	0.0080	0.0270	0.5000	ND	Pass	Methiocarb	0.0060	0.0200	0.0060	ND	Pass
Boscalid	0.0060	0.0190	10.0000	ND	Pass	Methomyl	0.0090	0.0300	0.1000	ND	Pass
Captan	0.0789	0.2631	5.0000	ND	Pass	Methyl Parathion	0.0070	0.0233	0.0070	ND	Pass
Carbaryl	0.0050	0.0150	0.5000	ND	Pass	Mevinphos	0.0030	0.0110	0.0030	ND	Pass
Carbofuran	0.0050	0.0180	0.0050	ND	Pass	Myclobutanil	0.0170	0.0580	9.0000	ND	Pass
Chlorantraniliprole	0.0070	0.0240	40.0000	ND	Pass	Naled	0.0070	0.0240	0.5000	ND	Pass
Chlordane	0.0319	0.1062	0.0319	ND	Pass	Oxamyl	0.0030	0.0090	0.2000	ND	Pass
Chlorfenapyr	0.0100	0.0330	0.0100	ND	Pass	Paclobutrazol	0.0130	0.0440	0.0130	ND	Pass
Chlorpyrifos	0.0050	0.0170	0.0050	ND	Pass	Pentachloronitrobenzene	0.0046	0.0152	0.2000	ND	Pass
Clofentezine	0.0060	0.0190	0.5000	ND	Pass	Permethrin	0.0110	0.0360	20.0000	ND	Pass
Coumaphos	0.0090	0.0280	0.0090	ND	Pass	Phosmet	0.0070	0.0250	0.2000	ND	Pass
Cyfluthrin	0.0080	0.0260	1.0000	ND	Pass	Piperonyl Butoxide	0.0050	0.0180	8.0000	ND	Pass
Cypermethrin	0.0130	0.0440	1.0000	ND	Pass	Prallethrin	0.0070	0.0240	0.4000	ND	Pass
Daminozide	0.0210	0.0700	0.0210	ND	Pass	Propiconazole	0.0080	0.0260	20.0000	ND	Pass
DDVP	0.0040	0.0120	0.0040	ND	Pass	Propoxur	0.0040	0.0130	0.0040	ND	Pass
Diazinon	0.0050	0.0170	0.2000	ND	Pass	Pyrethrins	0.0030	0.0100	1.0000	ND	Pass
Dimethoate	0.0030	0.0110	0.0030	ND	Pass	Pyridaben	0.0080	0.0270	3.0000	ND	Pass
Dimethomorph	0.0070	0.0230	20.0000	ND	Pass	Spinetoram	0.0070	0.0220	3.0000	ND	Pass
Ethoprophos	0.0040	0.0130	0.0040	ND	Pass	Spinosad	0.0050	0.0160	3.0000	ND	Pass
Etofenprox	0.0050	0.0170	0.0050	ND	Pass	Spiromesifen	0.0070	0.0230	12.0000	ND	Pass
Etoxazole	0.0060	0.0180	1.5000	ND	Pass	Spirotetramat	0.0090	0.0300	13.0000	ND	Pass
Fenhexamid	0.0090	0.0300	10.0000	ND	Pass	Spiroxamine	0.0060	0.0190	0.0060	ND	Pass
Fenoxycarb	0.0070	0.0220	0.0070	ND	Pass	Tebuconazole	0.0130	0.0420	2.0000	ND	Pass
Fenpyroximate	0.0090	0.0300	2.0000	ND	Pass	Thiacloprid	0.0070	0.0230	0.0070	ND	Pass
Fipronil	0.0170	0.0560	0.0170	ND	Pass	Thiamethoxam	0.0040	0.0130	4.5000	ND	Pass
Flonicamid	0.0890	0.2970	2.0000	ND	Pass	Trifloxystrobin	0.0040	0.0140	30.0000	ND	Pass

Date Tested: 02/18/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

ISO / IEC 17025:2017 ACCREDITED LABORATORY
Accreditation No. 73653Mallory Speakman
Laboratory Director - LA
11/26/2022Anya Engen
Quality Manager
11/26/2022



KOI Tropical Gummies

Sample ID: 1902CSALA0704.2615
Strain: KOI Tropical Gummies
Matrix: Ingestible
Type: Soft Chew
Sample Size: 1 units; Batch: 0 units

Produced: N/A
Collected: 11/04/2022
Received: 11/04/2022
Completed: 11/26/2022
Batch#: 9032TRG200

Client
Koi CBD
Lic. #
14631 Best Ave
Norwalk, CA 90650

Residual Solvents

Testing method: HSGCMS-SOP 202

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.3	3	1	ND	Pass
Acetone	1.4	14	5000	ND	Pass
Acetonitrile	0.3	2	410	ND	Pass
Benzene	0.1	1	1	ND	Pass
Butane	2.5	25	5000	ND	Pass
Chloroform	0.4	4	1	ND	Pass
Ethanol	1.4	14	5000	ND	Pass
Ethyl-Acetate	1.4	14	5000	ND	Pass
Ethyl-Ether	1.4	14	5000	ND	Pass
Ethylene Oxide	0.3	3	1	ND	Pass
Heptane	1.4	14	5000	ND	Pass
Isopropanol	1.4	14	5000	ND	Pass
Methanol	1.8	18	3000	ND	Pass
Methylene-Chloride	0.4	4	1	ND	Pass
n-Hexane	1.7	17	290	ND	Pass
Pentane	1.4	14	5000	ND	Pass
Propane	1.0	10	5000	ND	Pass
Toluene	5.3	53	890	ND	Pass
Trichloroethene	0.5	5	1	ND	Pass
Xylenes	13.0	130	2170	ND	Pass

Date Tested: 02/18/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



ISO / IEC 17025:2017 ACCREDITED LABORATORY
Accreditation No. 73653

M. Speakman

Mallory Speakman
Laboratory Director - LA
11/26/2022

A. Engen

Any Engen
Quality Manager
11/26/2022





KOI Tropical Gummies

Sample ID: 1902CSALA0704.2615

Strain: KOI Tropical Gummies

Matrix: Ingestible

Type: Soft Chew

Sample Size: 1 units; Batch: 0 units

Produced: N/A

Collected: 11/04/2022

Received: 11/04/2022

Completed: 11/26/2022

Batch#: 9032TRG200

Client

Koi CBD

Lic. #

14631 Best Ave

Norwalk, CA 90650

Microbials

Test method: PCR-SOP 401

Analyte

Shiga toxin-producing E. Coli

Salmonella

Result

Not Detected

Not Detected

Pass

Status

Pass

Pass

Date Tested: 02/19/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Mycotoxins

Test method: LCMS-SOP 301

Analyte

LOD

LOQ

Limit

Units

Pass

Status

	$\mu\text{g/kg}$	$\mu\text{g/kg}$	$\mu\text{g/kg}$	$\mu\text{g/kg}$	
B1	0.001	0.005		ND	Tested
B2	0.007	0.022		ND	Tested
G1	0.007	0.022		ND	Tested
G2	0.006	0.021		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	0.013	0.045	20	ND	Pass

Date Tested: 02/18/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected;

Heavy Metals

Testing method: ICPMS-SOP 501

Analyte

LOD

LOQ

Limit

Units

Pass

Status

	$\mu\text{g/g}$	$\mu\text{g/g}$	$\mu\text{g/g}$	$\mu\text{g/g}$	
Arsenic	0.001	0.01	1.5	ND	Pass
Cadmium	0.001	0.01	0.5	ND	Pass
Lead	0.001	0.01	0.5	0.069	Pass
Mercury	0.001	0.01	3.0	0.012	Pass

Date Tested: 02/19/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

ISO / IEC 17025:2017 ACCREDITED LABORATORY
Accreditation No. 73653Mallory Speakman
Laboratory Director - LA
11/26/2022Anya Engen
Quality Manager
11/26/2022