



CERTIFICATE OF ANALYSIS

STATUS: **RELEASED** REVISION: 00

DATE: 03/15/2023

Analysis ID No. 230689
 TDA License No. 2020002
 ISO/IEC No. 1055838
 Purchase Order: 20230168
 Page No. Page 1 of 5

CUSTOMER INFORMATION	SAMPLE INFORMATION
Company Name:	Submitted Sample Name:
Happy Hippo, LLC	COFFEE 12ML 2/13/23
Address:	Submitted Sample Lot:
1553 N Milwaukee St STE 131, Boise, ID 83704	SO-01839 0207-01-006 2/13/25
Phone Number:	Submitted Sample Description:
[REDACTED]	Liquid in Retail Packaging; Stored at Rm Temp
Contact Name / Email:	Submitted Sample Product Type / Matrix:
[REDACTED]	Kratom Extract / Beverage

ALKALOIDS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/mL: Report only*	0.359 w/w% 3.591mg/g 3.958 mg/mL	Results Reported
Paynantheine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/mL: Report only*	0.081 w/w% 0.809 mg/g 0.891 mg/mL	Results Reported
Speciogynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/mL: Report only*	0.067 w/w% 0.668 mg/g 0.736 mg/mL	Results Reported
Speciociliatine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/mL: Report only*	0.075 w/w% 0.747 mg/g 0.823 mg/mL	Results Reported
7-OH-Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/mL: Report only* % of Total Alkaloids: NMT 2%	< 0.010 w/w%	PASS
Mitraphylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/mL: Report only*	< 0.010 w/w%	Results Reported
Isorhynchophylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/mL: Report only*	< 0.010 w/w%	Results Reported
Corynoxine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/mL: Report only*	< 0.010 w/w%	Results Reported
Total Alkaloids	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/mL: Report only*	0.582 w/w% 5.815 mg/g 6.408 mg/mL	Results Reported

MICROBIOLOGICAL ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Total Aerobic Plate Count (TAPC)	Isolation Agar	10 CFU/gm	NMT 10,000 CFU/gm	< LOQ	PASS
Total Yeast & Mold (TYM)	Isolation Agar	10 CFU/gm	NMT 1,000 CFU/gm	< LOQ	PASS
Coliforms	Isolation Agar	10 CFU/gm	NMT 100 CFU/gm	< LOQ	PASS
Escherichia coli (E.coli)	Isolation Agar	1 CFU/10 gm	Absent in 10 gm	Absent	PASS
Salmonella	Isolation Agar	1 CFU/25 gm	Absent in 25 gm	Absent	PASS

Santé Laboratories, LLC - 8201 East Riverside Drive, STE 650, Austin, Texas 78744 USA
 Email: Testing@santelabs.com - Telephone: 512-309-5830 - Website: www.santelabs.com

This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.



CERTIFICATE OF ANALYSIS

STATUS: **RELEASED** REVISION: 00

DATE: 03/15/2023

Analysis ID No. 230689
TDA License No. 2020002
ISO/IEC No. 1055838
Purchase Order: 20230168
Page No. Page 2 of 5

HEAVY METALS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Lead	USP <232> <233> by ICP-MS	10 ppb	NMT 1,000 ppb	< LOQ	PASS
Mercury	USP <232> <233> by ICP-MS	5 ppb	NMT 500 ppb	< LOQ	PASS
Arsenic	USP <232> <233> by ICP-MS	10 ppb	NMT 1,500 ppb	< LOQ	PASS
Cadmium	USP <232> <233> by ICP-MS	10 ppb	NMT 300 ppb	< LOQ	PASS
Nickel	USP <232> <233> by ICP-MS	50 ppb	NMT 200,000 ppb	< LOQ	PASS

RESIDUAL SOLVENTS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
1,1-Dichloroethene	USP <467> by GC-MS	0.020 ppm	NMT 8 ppm	< LOQ	PASS
1,1,1-Trichloroethane	USP <467> by GC-MS	3.75 ppm	NMT 1,500 ppm	< LOQ	PASS
1,2-Dichloroethane	USP <467> by GC-MS	0.013 ppm	NMT 5 ppm	< LOQ	PASS
Benzene	USP <467> by GC-MS	0.005 ppm	NMT 2 ppm	< LOQ	PASS
Carbon tetrachloride	USP <467> by GC-MS	0.010 ppm	NMT 4 ppm	< LOQ	PASS
1,2-dichloroethene (E,Z)	USP <467> by GC-MS	4.675 ppm	NMT 1870 ppm	< LOQ	PASS
1,2-Dimethoxyethane	USP <467> by GC-MS	0.25 ppm	NMT 100 ppm	< LOQ	PASS
1,2,3,4- tetrahydronaphthalene	USP <467> by GC-MS	0.25 ppm	NMT 100 ppm	< LOQ	PASS
1,4-Dioxane	USP <467> by GC-MS	0.95 ppm	NMT 380 ppm	< LOQ	PASS
2-Hexanone	USP <467> by GC-MS	0.125 ppm	NMT 50 ppm	< LOQ	PASS
4-methyl-2- pentanone	USP <467> by GC-MS	12.5 ppm	NMT 4,500 ppm	< LOQ	PASS
Acetonitrile	USP <467> by GC-MS	1.025 ppm	NMT 410 ppm	< LOQ	PASS
Chlorobenzene	USP <467> by GC-MS	0.9 ppm	NMT 360 ppm	< LOQ	PASS
Chloroform	USP <467> by GC-MS	0.15 ppm	NMT 60 ppm	< LOQ	PASS
Cumene	USP <467> by GC-MS	0.175 ppm	NMT 70 ppm	< LOQ	PASS
Cyclohexane	USP <467> by GC-MS	9.7 ppm	NMT 3,880 ppm	< LOQ	PASS
Dichloromethane	USP <467> by GC-MS	1.5 ppm	NMT 600 ppm	< LOQ	PASS
Ethylbenzene	USP <467> by GC-MS	5.425 ppm	NMT 2,170 ppm	< LOQ	PASS
Hexane, n-	USP <467> by GC-MS	0.725 ppm	NMT 290 ppm	< LOQ	PASS

Santé Laboratories, LLC - 8201 East Riverside Drive, STE 650, Austin, Texas 78744 USA

Email: Testing@santelabs.com - Telephone: 512-309-5830 - Website: www.santelabs.com

This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.



CERTIFICATE OF ANALYSIS

STATUS: **RELEASED** REVISION: 00

DATE: 03/15/2023

Analysis ID No. 230689
TDA License No. 2020002
ISO/IEC No. 1055838
Purchase Order: 20230168
Page No. Page 3 of 5

RESIDUAL SOLVENTS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Methanol	USP <467> by GC-MS	7.5 ppm	NMT 3,000 ppm	< LOQ	PASS
Methylcyclohexane	USP <467> by GC-MS	2.95 ppm	NMT 1,180 ppm	< LOQ	PASS
Nitromethane	USP <467> by GC-MS	0.125 ppm	NMT 50 ppm	< LOQ	PASS
Pyridine	USP <467> by GC-MS	0.50 ppm	NMT 200 ppm	< LOQ	PASS
Tetrahydrofuran	USP <467> by GC-MS	1.8 ppm	NMT 720 ppm	< LOQ	PASS
Toluene	USP <467> by GC-MS	2.225 ppm	NMT 890 ppm	< LOQ	PASS
Trichloroethene	USP <467> by GC-MS	0.20 ppm	NMT 80 ppm	< LOQ	PASS
Xylene, m-	USP <467> by GC-MS	108.5 ppm	NMT 2,170 ppm	< LOQ	PASS
Xylene, o-	USP <467> by GC-MS	5.425 ppm	NMT 2,170 ppm	< LOQ	PASS
Xylene, p-	USP <467> by GC-MS	5.425 ppm	NMT 2,170 ppm	< LOQ	PASS
1-Butanol	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
1-Pentanol	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
1-Propanol	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
2-Butanol	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
2-Butanone	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
2-methyl-1-propanol	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
2-Propanol	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
3-methyl-1-butanol	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Acetone	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Anisole	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Butyl acetate	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Ethanol	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	1,010.6 ppm	PASS
Ethyl acetate	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Ethyl ether	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Ethyl formate	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS



CERTIFICATE OF ANALYSIS

STATUS: **RELEASED** REVISION: 00

DATE: 03/15/2023

Analysis ID No. 230689
TDA License No. 2020002
ISO/IEC No. 1055838
Purchase Order: 20230168
Page No. Page 4 of 5

RESIDUAL SOLVENTS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Heptane, n-	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Isobutyl acetate	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Isopropyl acetate	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Methyl acetate	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
N,N-Dimethylsulfoxide	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Pentane, n-	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Propyl acetate	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
t-Butyl Methyl Ether	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Butane, iso-	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Butane, n-	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Propane	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS

TESTING FACILITY INFORMATION	SAMPLE INFORMATION
Santé Laboratories 8201 East Riverside Drive, STE 650 Austin, Texas 78744 USA	Santé Sample ID: 230689 Receipt Date: 03/07/2023 / 09:25 AM CST / M. Husain Receipt Condition: Good Analysis Start Date: 03/07/2023

ADDITIONAL REPORT NOTES
<p>The reported results presented in this document is only applicable to samples submitted to Santé Laboratories for testing and may not represent the entire lot and/or batch produced by the manufacturer. Heavy metal specifications according to limits defined by Texas DSHS for consumable hemp. Nickel specification according to oral drug products per USP <232>. Microbiological limits according to specifications defined by AHPA for botanical extracts. * Density: 1.102 g/mL, this is based on the average of five (5) measurements.</p> <p>©2020 Santé Laboratories, LLC – All Rights Reserved</p>

VERSION HISTORY		
Version	Effective Date	Summary of Changes
00	03/15/2023	Initial Release

**CERTIFICATE OF ANALYSIS**STATUS: **RELEASED** REVISION: 00

DATE: 03/15/2023

Analysis ID No. 230689
TDA License No. 2020002
ISO/IEC No. 1055838
Purchase Order: 20230168
Page No. Page 5 of 5

PRODUCT SAMPLE / IMAGE**REVIEWED AND APPROVED BY**

DocuSigned by:

E49DDA845186484...

Yvonne Rivera

Data Management Specialist
Santé Laboratories

15 March 2023 | 1:21:43 PM PDT

Date