

Address:

Customer: Discover CBD

2255 Reliable Cir Colorado Springs, CO 80906

Sample ID: TIN-1117 900mg Full Spec Water Soluble Tincture

Matrix: Tincture

Labnumber: 22F0032-01 Total mass or volume per unit (g or mL): 60





Cannabinoid Profile

Density (g/mL): 1.2275

Test Conditions: 23°C Extraction Technician: SH

Analytical Chemist: SH

Analytical Chemist: SH

Extraction Technician: SH


Analytical Chemist: SH

6/8/2022 6/8/2022

•				
Cannabinoids (HPLC)			Results	
	LOD (mg/mL)	%	mg/mL	mg/Bottle
Cannabidivarin (CBDV)		0.06	0.564	33.8
Cannabidiolic Acid (CBD-A)	<0.20			
Cannabigerolic Acid (CBG-A)	<0.20			
Cannabigerol (CBG)		0.02	0.150	9.01
Cannabidiol (CBD)		1.75	_17.5	1050
Tetrahydrocannabivarin (THCV)	<0.20			
Cannabinol (CBN)	<0.20			
Cannabichromene (CBC)	<0.20			
delta 9-Tetrahydrocannabinol (THC)	<0.40			
delta-9-Tetrahydrocannabinolic Acid (THC-A)	<0.40			
delta 8-Tetrahydrocannabinol	<0.40			
(6aR,9S)-delta-10-THC	<0.40	011	HIM	Or .
(6aR,9R)-delta-10-THC	<0.40	SUL		
Cannabinoids Total		%		mg/mL
Max Active THC (delta-9-tetrahydrocannabinol)		<0.04		<0.40
Max Active CBD		1.75		17.50
Total Cannabinoids		1.82		18.20

Following USDA guidelines on uncertainty, Altitude Consulting's uncertainty is calculated to be +/- 2% for all cannabinoids using a coverage factor of 2 (95% confidence interval). Measurement uncertainty has not been factored into reported values.

Blank results indicate the compound was below the limit of detection.



Gary Brook - Laboratory Director - 6/9/2022