

KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

1 of 1

Sample ID: SA-231107-29629 Batch: 101000 Type: Finished Product - Ingestible Matrix: Edible - Gummy Jnit Mass (g): 4.24962		Collected: 11/06/2023 Received: 11/10/2023 Completed: 11/20/2023			Client MODUS 5143 Port Chicago Hwy, Suite C Concord, CA 94520 USA		
				Summary Test Cannabinoids	Date Tested 11/20/2023	Status	
0.172 % Τotal Δ9-THC	0.238 % CBD	0.424 % Total Cannabinoid		t Tested ure Content	Not Tested	Yes Internal Standard	
		nd/or GC-MS	/MS			Normalization	
	-			Res	ult	Result	
			LOQ (%)	Res (%		Result (mg/unit)	
nalyte	LOD		LOQ				
nalyte BC	LOD (%)	95	LOQ (%)	(%		(mg/unit)	
nalyte BC BCA	LOD (%) 0.0009	95 81	LOQ (%) 0.00284	(%) NI NI NI		(mg/unit) ND	
nalyte BC BCA BCV BD	LOD (%) 0.0009 0.0018 0.0000 0.0000	95 31 6 81	LOQ (%) 0.00284 0.00543 0.0018 0.00242	(%) NI NI 0.2) D D D D D 38	(mg/unit) ND ND ND 10.1	
nalyte BC BCA BCV BD BDA	LOD (%) 0.0009 0.0018 0.0000 0.0000 0.0000	95 31 6 81 43	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013	(%) NI NI 0.2 NI))	(mg/unit) ND ND ND 10.1 ND	
nalyte BC BCA BCV BD BDA BDA BDV	LOD (%) 0.0009 0.0018 0.0000 0.0004 0.0004 0.0004	95 31 6 81 43 61	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182	(%) NI NI 0.2 NI <lc< td=""><td>))</td><td>(mg/unit) ND ND ND 10.1 ND <loq< td=""></loq<></td></lc<>))	(mg/unit) ND ND ND 10.1 ND <loq< td=""></loq<>	
malyte BC BCA BCV BD BDA BDA BDV BDVA	LOD (%) 0.000 0.001 0.000 0.000 0.000 0.000 0.000	25 31 6 81 43 61 21	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063	(%) NI NI 0.22 NI <lc NI</lc))	(mg/unit) ND ND ND 10.1 ND <loq ND</loq 	
malyte BC BCA BCV BD BDA BDA BDV BDVA BG	LOD (%) 0.000 0.001 0.000 0.000 0.000 0.000 0.000 0.000 0.000	25 31 6 81 43 61 21 57	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172	(%) NI NI 0.22 NI <lc NI NI</lc)) <t< td=""><td>(mg/unit) ND ND ND 10.1 ND <loq ND ND ND</loq </td></t<>	(mg/unit) ND ND ND 10.1 ND <loq ND ND ND</loq 	
malyte BC BCA BCV BD BDA BDA BDV BDVA BG BGA	LOD (%) 0.000 0.001 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	9 95 81 6 81 43 61 21 57 49	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147	(%) NI NI 0.2 NI <lc NI NI NI</lc)) <t< td=""><td>(mg/unit) ND ND ND 10.1 ND <loq ND ND ND ND</loq </td></t<>	(mg/unit) ND ND ND 10.1 ND <loq ND ND ND ND</loq 	
malyte BC BCA BCV BD BDA BDA BDV BDVA BG BGA BL	LOD (%) 0.000 0.001 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	9 95 81 6 81 43 61 21 57 49 2	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335	(%) NI NI 0.2 NI <lc NI NI NI NI NI</lc)) <t< td=""><td>(mg/unit) ND ND ND 10.1 ND <loq ND ND ND ND ND ND</loq </td></t<>	(mg/unit) ND ND ND 10.1 ND <loq ND ND ND ND ND ND</loq 	
malyte BC BCA BCV BD BDA BDA BDV BDVA BG BGA BL BLA	LOD (%) 0.0005 0.0015 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	95 31 6 81 43 61 21 57 49 2 24	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371	(%) NI NI 0.22 NI <lc NI NI NI NI NI</lc)) <t< td=""><td>(mg/unit) ND ND ND 10.1 ND <loq ND ND ND ND ND ND ND ND</loq </td></t<>	(mg/unit) ND ND ND 10.1 ND <loq ND ND ND ND ND ND ND ND</loq 	
malyte BC BCA BCV BD BDA BDA BDV BDVA BG BGA BL BLA BN	LOD (%) 0.0000 0.0012 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	9 95 81 6 81 43 61 21 57 49 2 44 56	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00182 0.00172 0.00172 0.00147 0.00335 0.00371 0.00169	(%) NI NI 0.2 NI <lc NI NI NI NI NI NI 0.00</lc)))))) 38) <	(mg/unit) ND ND ND 10.1 ND <loq ND ND ND ND ND ND ND 0.0731</loq 	
Analyte BC BCA BCV BD BDA BDA BDV BDVA BG BGA BL BLA BN BNA	LOD (%) 0.000 0.001 0.0000 0.000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.000000	225 31 6 81 43 61 21 57 49 2 2 24 44 56 6	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00182 0.00172 0.00147 0.00335 0.00371 0.00371 0.00169 0.00181	(%) NI NI 0.2 NI <lc NI NI NI NI NI NI NI NI NI NI NI NI NI</lc))	(mg/unit) ND ND ND 10.1 ND <loq ND ND ND ND ND ND ND ND ND ND</loq 	
BC BCA BCV BD BDA BDA BDV BDVA BC BCA BCA BL BLA BN BNA BT	LOD (%) 0.0000 0.0018 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	295 31 6 81 443 61 21 57 49 2 14 56 6 8	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00182 0.00172 0.00172 0.00147 0.00335 0.00371 0.0035 0.00371 0.00169 0.00181 0.0054	(%) NI NI O.2 NI <lc NI NI NI NI NI NI NI NI NI NI NI</lc)) <t< td=""><td>(mg/unit) ND ND ND 10.1 ND <loq ND ND ND ND ND ND ND ND ND ND</loq </td></t<>	(mg/unit) ND ND ND 10.1 ND <loq ND ND ND ND ND ND ND ND ND ND</loq 	
Analyte BC BCA BCV BDA BDA BDV BDVA BC BCA BCA BCA BLA BLA BNA BNA BT 88-THC	LOD (%) 0.0000 0.0018 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	295 31 6 81 43 61 21 57 49 2 14	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00182 0.00172 0.00147 0.00335 0.00371 0.0035 0.00371 0.00169 0.00181 0.0054 0.00312	(%) NI NI 0.22 NI <lc NI NI NI NI NI NI 0.00 NI NI 0.00</lc))))) 38) <	(mg/unit) ND ND ND 10.1 ND <loq ND ND ND ND ND ND 0.0731 ND ND 0.561</loq 	
Analyte BC BCA BCV BD BDA BDA BDV BDVA BDV BDVA BC BCA BL BLA BLA BN BNA BNA BRA BRA BNA BRA BRA BRA BRA BRA BRA BRA BRA BRA BR	LOD (%) 0.0000 0.0018 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	295 31 6 81 43 61 21 57 49 2 14 56 6 8 14 76	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00182 0.00172 0.00147 0.00335 0.00171 0.00335 0.00371 0.00169 0.00181 0.0054 0.00312 0.00327	(%) NI NI O.2 NI <lc NI NI NI NI O.00 NI NI O.00 NI NI O.01 O.17</lc)) <t< td=""><td>(mg/unit) ND ND ND ND <loq ND ND ND ND ND ND ND ND 0.0731 ND ND 0.561 7.29</loq </td></t<>	(mg/unit) ND ND ND ND <loq ND ND ND ND ND ND ND ND 0.0731 ND ND 0.561 7.29</loq 	
Analyte	LOD (%) 0.0000 0.0011 0.0000	295 311 6 811 443 611 221 577 49 22 44 56 6 83 104 76	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00182 0.00172 0.00147 0.00335 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181 0.0054 0.00181 0.0054 0.00312 0.00251	(% NI NI 0.2 NI <lc NI NI NI 0.00 NI NI 0.00 NI NI 0.01 NI</lc)) <t< td=""><td>(mg/unit) ND ND ND ND <loq ND ND ND ND ND ND ND 0.0731 ND ND 0.561 7.29 ND</loq </td></t<>	(mg/unit) ND ND ND ND <loq ND ND ND ND ND ND ND 0.0731 ND ND 0.561 7.29 ND</loq 	
Cannabinoids b Analyte CBC CBCA CBCV CBD CBDA CBDV CBDVA CBDVA CBC CBCA CBCA CBCA CBCA CBCA CBCA CBC	LOD (%) 0.0000 0.0011 0.000000	295 31 6 81 43 61 21 57 49 2 44 56 6 8 104 76 34 59	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00182 0.00172 0.00147 0.00335 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181 0.0054 0.00181 0.0054 0.00312 0.00251 0.00251	(%) NI NI 0.2 NI <lc NI NI NI NI 0.00 NI NI 0.00 NI NI 0.01 NI NI</lc)) <t< td=""><td>(mg/unit) ND ND ND 10.1 ND <loq ND ND ND ND ND ND 0.0731 ND ND 0.561 7.29 ND ND ND ND ND 0.561 7.29 ND ND</loq </td></t<>	(mg/unit) ND ND ND 10.1 ND <loq ND ND ND ND ND ND 0.0731 ND ND 0.561 7.29 ND ND ND ND ND 0.561 7.29 ND ND</loq 	
Analyte	LOD (%) 0.0000 0.0011 0.0000	295 31 6 81 43 61 21 57 49 2 44 56 6 8 144 76 34 59	LOQ (%) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00182 0.00172 0.00147 0.00335 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181 0.0054 0.00181 0.0054 0.00312 0.00251	(% NI NI 0.2 NI <lc NI NI NI 0.00 NI NI 0.00 NI NI 0.01 NI</lc)) <t< td=""><td>(mg/unit) ND ND ND ND <loq ND ND ND ND ND ND ND 0.0731 ND ND 0.561 7.29 ND</loq </td></t<>	(mg/unit) ND ND ND ND <loq ND ND ND ND ND ND ND 0.0731 ND ND 0.561 7.29 ND</loq 	

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone CCO Date: 11/20/2023

Tested By: Nicholas Howard

stéd By: Nicholas Howard Scientist Date: 11/20/2023



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.