



# Certificate of Analysis











## COMPLIANCE FOR RETAIL

Sample: DA31228012-019  
Harvest/Lot ID: KND394  
Batch#: KND394  
Seed to Sale# 30ML  
Batch Date: 12/01/23  
Sample Size Received: 1000 mg  
Total Amount: 1000 mg  
Retail Product Size: 1000 mg  
Ordered: 12/20/23  
Sampled: 12/28/23  
Completed: 12/30/23  
Sampling Method: SOP.T.20.010.FL


Dec 30, 2023 | Farmasci Life  
3361 NW 55th St  
Fort Lauderdale, FL, 33309, US

**PASSED**

Pages 1 of 1

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides NOT TESTED	 Heavy Metals NOT TESTED	 Microbials NOT TESTED	 Mycotoxins NOT TESTED	 Residuals Solvents NOT TESTED	 Filtration NOT TESTED	 Water Activity NOT TESTED	 Moisture NOT TESTED	 Terpenes NOT TESTED

### Cannabinoid **PASSED**



Analyzed by: 3335, 1665, 585, 1440      Weight: 3.0515g      Extraction date: 12/29/23 11:44:25      Extracted by: 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031      Reviewed On : 12/30/23 12:05:40  
Analytical Batch : DA067835POT      Batch Date : 12/29/23 08:25:53  
Instrument Used : DA-LC-001  
Analyzed Date : 12/29/23 11:59:41

Dilution : 400  
Reagent : 120623.R45; 121923.R15; 060723.50; 060723.24; 121923.R12  
Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164



Signature  
12/30/23