



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA31220011-008

Harvest/Lot ID: KND394

Batch#: KND394

Batch Date: 12/01/23

Sample Size Received: 250 mg

Total Amount: 250 mg

Retail Product Size: 250 mg

Ordered: 12/18/23

Sampled: 12/20/23

Completed: 12/22/23

Sampling Method: SOP.T.20.010.FL

Dec 22, 2023 | Farmasci Life

3361 NW 55th St  
Fort Lauderdale, FL, 33309, US

**PASSED**

Pages 1 of 1


PRODUCT IMAGE



SAFETY RESULTS



Pesticides  
NOT TESTED



Heavy Metals  
NOT TESTED



Microbials  
NOT TESTED



Mycotoxins  
NOT TESTED



Residuals Solvents  
NOT TESTED



Filtration  
NOT TESTED



Water Activity  
NOT TESTED



Moisture  
NOT TESTED



Terpenes  
NOT TESTED

MISC.



### Cannabinoid

**PASSED**



Total THC  
**ND**



Total CBD  
**ND**



Total Cannabinoids  
**0.568%**

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	ND	ND	ND	ND	0.568	ND	ND	ND	ND	ND	ND
mg/g	ND	ND	ND	ND	5.68	ND	ND	ND	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
4.8237g

Extraction date:  
12/21/23 12:54:20

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA067583POT

Instrument Used : DA-LC-007

Analyzed Date : 12/21/23 13:23:48

Reviewed On : 12/22/23 09:40:19

Batch Date : 12/21/23 08:14:10

Dilution : 400

Reagent : 060723.50; 020123.02; 120623.R28; 121223.R03

Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
12/22/23