



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31215011-014
 Harvest/Lot ID: KND394
 Batch#: KND394











Seed to Sale# 1ml
 Batch Date: 12/08/23
 Sample Size Received: 930 mg
 Total Amount: 930 mg
 Retail Product Size: 930 mg
 Ordered: 12/14/23
 Sampled: 12/15/23
 Completed: 12/19/23
 Sampling Method: SOP.T.20.010.FL

PASSED


Pages 1 of 1

Dec 19, 2023 | Farmasci Life - Blue Moon
 Hemp

3361 NW 55th St
 Fort Lauderdale, FL, 33309, US

PRODUCT IMAGE	SAFETY RESULTS								MISC.
									
	Pesticides NOT TESTED	Heavy Metals NOT TESTED	Microbials NOT TESTED	Mycotoxins NOT TESTED	Residuals Solvents NOT TESTED	Filtration NOT TESTED	Water Activity NOT TESTED	Moisture NOT TESTED	Terpenes NOT TESTED

Cannabinoid **PASSED**



Analyzed by: 3335, 1665, 585, 1440 Weight: 0.104g Extraction date: 12/18/23 12:27:54 Extracted by: 3335
 Analysis Method : SOP.T.40.031, SOP.T.30.031 Reviewed On : 12/19/23 12:12:46
 Analytical Batch : DA067455POT Batch Date : 12/17/23 19:44:24
 Instrument Used : DA-LC-007
 Analyzed Date : 12/18/23 12:28:11
 Dilution : 400
 Reagent : 121523.R01; 060823.01; 121223.R01
 Consumables : 927.100; 280670723; CE0123; 0000185478
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director
 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJA-
 Testing 97164



Signature
 12/19/23